

MAXIMO 417W

Zinc Oxide.



Product
specification.

ZN
ZINC NACIONAL


MAXIMO 417W

Zinc Oxide.



PAINT

Zinc Nacional provides a zinc oxide made by the American process, where the shape of the particle is mainly acicular, leading to an improved cohesion within the paint. Its low surface area generates a less reactive oxide, helping to improve paint stability. Additionally, it also provides paints with fungicidal and anti-corrosive properties.



Typical Chemical Analysis

Purity	99.0 %	Minimum
Zinc (Zn)	79.5 %	Minimum
Lead (Pb)	0.05 %	Maximum
Iron (Fe)	0.05 %	Maximum
Cadmium (Cd)	0.01 %	Maximum
Sulphur	0.1 %	Maximum
Insoluble IN HCL	0.12 %	Maximum
Soluble Salts	0.50 %	Maximum
Hegman Test	3.00	Minimum
Surface Area	1.4 – 2.5	m ² /gr.
Oil Absorption	15 - 19	
Fineness: Through 325 Mesh Screen	99.95 %	Minimum

CORPORATE OFFICE

MONTERREY OFFICE

Serafín Peña 938 Sur, Col. Centro
Monterrey, N.L., México, Zip Code 64000
Phone: (+52 81) 8345 4078, 8342 6861
Fax: (+52 81) 8344 34 46, 8342 99 86
Phone from U.S. and Canada | (210) 401 3933

sales@gpromax.com

MÉXICO D.F. OFFICE

Francisco Pimentel No.100
Col. San Rafael
México, D.F., Zip Code 06470
Phone: (+52 55) 5705 7358, 5705 0203
Fax: (+52 55) 5705 0199

sales@gpromax.com

PLANTS

METALLURGICAL PLANT

Manuel M. Ponce y Pedro Galindo
Col. Lomas del Roble, San Nicolás de los Garza
N.L., México, Zip Code 66450
Phone: (+52 81) 8376 57 30, 8376 57 83
Fax: (+52 81) 8376 74 89, 8376 73 06

purchase_metalurgica@gpromax.com
sales_metalurgica@gpromax.com

PAPERBOARD MILL

Calle Aurora S/N, Col. El Mirador
San Nicolás de los Garza
N.L., México, Zip Code 66450
Phone: (+52 81) 8332 26 28 al 31
Fax: (+52 81) 8332 10 79

purchase_cartoncillo@gpromax.com
sales_cartoncillo@gpromax.com

SDR

13209 Highway 96
Millport, Alabama, USA, 35576
Phone: (205) 662 88 01
Fax: (205) 662 88 02

