



1. CHEMICAL PRODUCT - COMPANY IDENTIFICATION.

GHS Product Name: Zinc Oxide Common / Trade Names: Zinc Oxide, Oxzinal. Zinc Oxide, Maximo

Application: Zinc oxide is widely used as an additive to many products in the ceramic, rubber, paint, animal feed, zinc compounds, pharmaceuticals, industries, etc...

Company Identification: Zinc Nacional, S.A.

Serafín Peña 938 Sur. Monterrey N.L. México. C.P. 64000 Phone: +52 (81) 8345-4078 Fax +52 (81) 8344-3446.

www.zincnacional.com

Emergency telephone: CHEMTREC +1-800-424-9300

2. HAZARDS IDENTIFICATION.

Classification of the substance: GHS Classification.

Acute aquatic toxicity (Category 1) H400; Chronic aquatic toxicity (Category 1) H410

GHS label elements:

Pictograms	Signal Word	Hazard Statements	Precautionary Statements	
***	WARNING	H410	P273 P391 P501	

For the full meaning of the phrases H and P: see section 16

3. COMPOSITION AND INFORMATION ON INGREDIENTS.

Component	Formula	CAS No.	EC No.	Nombres comerciales de nuestros productos de óxido de zinc			
Component				Oxzinal 800 al 821	Maximo 318, 414, 417W, 730, 819 al 996	Maximo 720, 721, 725, 750 y Zinc Concentrates	
Zinc Oxide	ZnO	1314-13-2	215-222-5	99.6 % min	99.0 % min	89.6% min	
Appearance and Odor	NA	NA NA NA White p		White powder, odorless	Creamy white powder, odorless	Brown powder, odorless	

4. FIRST-AID MEASURES.

- Inhalation: Move into fresh air and keep at rest. If the person is not breathing provide artificial respiration, if breathing is difficult, give oxygen. Get medical attention.
- Ingestion: Ingestion of large quantities, get medical attention, never induce vomiting unless indicated by medical personnel. - Skin contact: Wash with soap and water and launder clothing before re-use. If irritation occurs get medical attention.
- Eye contact: Immediately flush with plenty of water for up to 15 minutes holding the eyelids open. Get medical attention.
- Most important symptoms and effects, both acute and delayed.
- Inhalation: May cause irritation to the respiratory tract.
- Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
- Skin contact: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
- Eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking, and tear production, with possible redness and swelling.

5. FIRE-FIGHTING MEASURES.

- Flammability: Not flammable
- Autoignition: Not applicable
- Extinguishing Media: Use media appropriate to the environment.
- Flash point: Not applicable.
 - Flammable Limit: Not applicable.
 - Risks: Emits toxic fumes
- Fighting Procedures: In case of fire in the environment, use protective equipment and self-protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES.

- Personal precautions: Use personal protective equipment (see paragraph 8).
- Precautions to protect the environment: Product dangerous to the environment in case of large spills or when the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local laws.
- Clean Methods: Clean spills in a way that does not disperse dust into the air and place in suitable container. Dispose according to regulations. The disposal area can be cleaned with water but prevent it from spilling into a river or reservoir.

7. HANDLING AND STORAGE.

Precautions for safe handling.

No special handling required; we recommend the following general measures:

- Use personal protective equipment (see paragraph 8).
- Wash after handling.

Conditions for safe storage

No special storage measures required; we recommend the following general measures:

- Store in a dry place.
- Do not expose to sun, heat, or incompatible substances (see paragraph 10).
- Product life, unlimited if tightly closed and dry. - Place away from sources of ignition.
- Do not store with food.

8. EXPOSURE CONTROL / PERSONAL PROTECTION.

Component	Mexico	USA	Canada	Europe	
Zinc Oxide	NOM-010-STPS (Mexico, 4/2014). LMPE-PPT: 10 mg/m³ 8 hours (powder). LMPE-CT: 10 mg/m³ 15 min (smoke). LMPE-PPT: 2 mg/m³ 8 hours (smoke).	OSHA PEL (2/2013). TWA: 5 mg/m³ 8 hours (Fume). TWA: 5 mg/m³ 8 hours (Respirable fraction). TWA: 15 mg/m³ 8 hours (Total dust). ACGIH TLV (4/2014).	ACGIH 4/2014 / ON 1/2013 STEL: 10 mg/m³ 15 min (Respirable fraction). TWA: 2 mg/m³ 8 hours. (Respirable fraction) AB 4/2009 / BC 7/2013 STEL: 10 mg/m³ 15 min (Respirable).	(WELS) / EH40 TWA 10 mg / m³ 8 hours (Total dust). TWA 4 mg / m³ 8 hours (Respirable fraction).	
		STEL: 10 mg/m ³ 15 min (Respirable fraction). TWA: 2 mg/m ³ 8 hours (Respirable fraction).	TWA: 2 mg/m³ 8 hours (Respirable). QC 1/2014 STEL: 10 mg/m³ 15 min (smoke). TWA: 5 mg/m³ 8 hours (smoke).		

Exposure Controls: Local and general ventilation, to ensure that concentration does not exceed the limits for occupational exposure. Consider enclosing the process. Ensuring control of process conditions. Replacement air supply to supply air continuously removed. Provide showers and eyewash stations.





Personal Protection:

- Eye Protection: Wear approved safety goggles.
- Hand protection: Rubber gloves are recommended. Wash hands and face before eating, drinking, or smoking,
- Respiratory Equipment: If ventilation is insufficient, suitable respiratory protection must be provided
- Other protection: Self-contained breathing apparatus and overalls.

9. PHYSICAL AND CHEMICAL PROPERTIES.

- Appearance: White powder, creamy white or brown.
- Odor: Odorless
- Molecular weight (gr/mol): 81.39
 Melting point: 3587 °F (1975 °C) Boiling point: Not applicable
- Specific Gravity: 5.606

- Flash point: No data available
- Solubility in water: Insoluble
- Solubility: Acids, ammonia, ammonium carbonate and alkali.
- Explosive Properties: Not applicable.
- Oxidizing properties: Not applicable.
- Vapor pressure: Not applicable.

10. STABILITY AND REACTIVITY.

- Reactivity: No dangerous reactions known under normal conditions of use.
- Chemical stability: Stable under normal conditions.
- Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.
- Conditions to avoid: Heat. Dust. Moisture. Incompatible materials.
- Incompatible materials: Strong alkalis. Strong acids.
- Hazardous decomposition products: May include and are not limited to: oxides of carbon.

11. TOXICOLOGICAL INFORMATION

- Toxicity Data: LD50 (oral, mouse): 7950 mg / kg. LC50 (inhalation, mouse): 2500 mg/m3
- Chronic effects: No know significant effects or critical hazards. There is no information that prolonged or repeated exposure aggravates medical conditions.

 Acute effects: Powder or zinc oxide fumes can irritate the respiratory tract. Prolonged exposure of the skin may lead to dermatitis. Exposure to high levels of dust or smoke can lead to fever, muscle pain, headache and dry throat and mouth.

12. ECOLOGICAL INFORMATION.

- Ecotoxicity: CE₅₀ (Selenastrum capricornutum, 72 hours): 170 mg ZnO / I (LISEC 1997).
- Mobility: Not applicable.
- Persistence / degradability: Not applicable.

- Resultados de la valoración PBT y mPmB: No aplicable.
- Otros efectos adversos: No aplicable.

13. DISPOSAL INFORMATION.

Avoid or minimize the generation of waste wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products must meet the requirements of environmental protection legislation and waste disposal and the requirements of local authorities.

14. TRANSPORT INFORMATION.

América:

Not regulated.

European Union:

IIO	ion:							
	Type of transport	Classification	UN Number	Proper Shipping Name	Class	Group Packing	Label	
	Land: Road Railroad	ADR RID	UN 3077	Zinc Oxide: Environmentally Hazardous Substance, Solid, N.O.S.	9	III		
	Sea	IMO / IMDG	-					
	Air	IATA / DGR						

15. REGULATORY INFORMATION.

This material is not regulated.

EE. UU:

DOT 172: Not regulated. SARA 302: RQ=None, TPQ=None. SARA 311/312: Yes (Acute). SARA 313: Zn and Pb Compounds. Prop. 65: No (Impurities Pb & Cd listed).

CAA 112, 61 HAP: No. FIFRA 152 et seq.: No.

RCRA 261: Determination of TCLP (Pb, Cd). CERCLA 102/103: Name List, RQ=None. NSF 60/61: Envoy: NSF, UL. FCC: Enumerated CONEG: Compliant.

ODS/ODC 82: No

• Europe REACH: Registration Number 01-2119463881-32-0091.

• Inventory / Lists:

TSCA: Yes, listed, notification not required. - EE. UU: Domestic Substances List (DSL): Yes, listed Europe:

Classification WHMIS: No, not listed

EINECS: Yes, on inventory ELINCS: No. Yes, listed on the following lists: AICS, IECS, ECL, SWISS, PICCS, ASIA-PAC, ENCS, NZIoC y Taiwan.

16. OTHER INFORMATION.

GHS Definitions

- Hazard statements

H400: Very toxic to aquatic life

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container to... (in accordance with local/regional/national/international regulation).

This information relates to the specific product designated and may not be valid for such product used in combination with any other materials or in any other processes. Such information is to the best or our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy themselves as to the suitability and completeness of such information for their own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer warranty against patent infringement. Customers are responsible for compliance with local, state, and federal regulations that may be pertinent in the storage, application, and disposal of this product.